



Introducing the *iP* series



iP-1000

- Single Palletizing Chamber
- Design for Low Volume/High Mix Customers



iP-2000

- Dual Palletizing Chamber
- Design for Significant Volume/High Mix Customers



iP-3000

- Single Palletizing Chamber
- Design for High Volume/High Mix Customers



iP-1000 series Integrated Palletizer



Includes:

- Incline conveyor
- (1) Vacuum EOAT
- (1) Product Program

- Up to 43 PPM
- FANUC Robotic Technology
- Integrated Pallet Lift System
- Single palletizing chamber – manual pallet exchange
- High mix, medium volume, low cost applications, with limited floor space
- Production stops during pallet exchange
- Upgradeable to dual chamber (iP-2000), for future growth
- Easily moved or setup
- Superior construction – designed to run 24/7 in harsh environments
- 40" x 48" pallet size standard



iP-2000 series Integrated Palletizer



- Up to 43 PPM
- FANUC Robotic Technology
- Integrated Pallet Lift System
- Dual palletizing chamber – manual pallet exchange
- High mix, High Volume, applications with limited floor space
- Production never stops
- Easily moved or setup
- Superior construction – designed to run 24/7 in harsh environments
- 40" x 48" pallet size standard

Includes:

- Incline conveyor
- (1) Vacuum EOAT
- (1) Product Program



iP-3000 series Integrated Palletizer



- Up to 65 PPM *
- FANUC Robotic Technology
- Integrated Pallet Lift System
- Single palletizing chamber, with automatic pallet exchange
- High mix, high volume, fully automated applications
- Easily moved or setup
- Superior construction – designed to run 24/7 in harsh environments
- 40" x 48" pallet size standard

Includes:

- Incline conveyor
- (1) Vacuum EOAT
- Pallet exchange conveyors
- VFD Motors
- (1) Product Program

*High Speed Option

- Includes bag “pre-orient”, for improved throughput